

Limited Edition

ESPRIMO P1500

Der vielseitige ESPRIMO P1500 ist der ideale Home Office und Multimedia PC für Familien. Ausgestattet mit leistungsfähiger Intel® Prozessor- und NVIDIA®-Grafiktechnologie eignet er sich hervorragend für die Bearbeitung von Urlaubsfotos, zum Internetsurfen und zum Spielen. Eine breite Auswahl an Schnittstellen macht das Anschließen von externen Geräten zum Kinderspiel.



November 2009



Prozessor und Chipsatz

- Intel® Pentium® Dual Core E5300 (2.6 GHz, 2 MB , 800 MHz)
- Chipsatz NVIDIA® MCP73PV

Betriebssystem und Software

- Original Windows Vista® Home Premium
- Recov. DVD Vista Home Prem. 64Bit MuLi A
- Microsoft® Office Ready
- original Microsoft® Office ist optional erhältlich (MLK)
- Nero 9 Essentials XL

Speicher, Laufwerke

- 2GB DDR2-800 (1x 2GB)
- 640 GB S-ATA II Festplatte, DVD SuperMulti SATA

Abmessung, Gewicht, Garantie

- Maße (H x B x T): 353 x 175 x 425 mm
- Gewicht: ca. 11 kg
- 2 Jahre Collect u. Return

Windows® Leben ohne Grenzen.
Fujitsu empfiehlt Windows 7.



Weitere Ausstattung

- LAN on Board, Audio, **NVIDIA GeForce GT 220 1GB LP**, Front USB/Audio, Tastatur, Maus
- Garantie gemäß Fujitsu Technology Solutions Garantiebedingungen
- Preise, Liefermöglichkeiten, technische Änderungen und Irrtümer vorbehalten. Alle verwendeten Hard- und Softwarenamen sind Handelsnamen und/oder Warenzeichen der jeweiligen Hersteller.
- Abbildung ähnlich
- Recovery-Version, nur in Verbindung mit dem gekauften System zu nutzen



mit original Microsoft® Office Basic 2007
mit original Microsoft® Office Small Business 2007
mit original Microsoft® Office Professional 2007
(Medialess Licence Key)

Herausgegeben von:
Fujitsu Technology Solutions GmbH
de.ts.fujitsu.com

DATA SHEET

L20T-1 ECO

All-round widescreen

Issue: October 2009

An attractive price doesn't mean that you have to compromise on style or performance. Thanks of latest panel technology the Display L20T-1 ECO saves up to 50% power consumption in operating mode.


HD resolution 1600 x 900 for excellent entertainment experience

Energy Star compliant: low typical power consumption and power management according to EPA

51 cm / 20-inch widescreen display in optimum 16:9 movie format

Fast response time (typ.) of 5 ms, perfect for Internet, home office, multitasking and more

**50% reduction of power consumption
Due to integrated speakers no further accessories needed**



L20T-1 ECO

Special features

Lifetime Extender, ECO control button, Aspect ratio conversion

Stand details

Stand removable
Tilt angle -5° / +15°

Picture performance

Contrast - advanced 20,000:1
Response time black to black typical 5 ms
Viewing angle (h/v) 170° / 170°
Color performance 16.7 Mio colors (Hi-FRC)
Brightness - typical 250 cd/m²

Size and resolution

Aspect ratio 16:9
Diagonal Size 50.8 cm (20-inch)
Resolution (native) 1600 x 900 pixel (recommended)
Resolution (interpolated) 1440 x 900 pixel, 1366 x 768 pixel, 1280 x 1024 pixel
Picture size 443 x 249 mm
Pixel Pitch 0.277 mm

Frequencies

Horizontal 30 - 82 kHz
Vertical 56 - 76 Hz
Frequencies - bandwidth 165 MHz

Connectivity

Video input 1 x D-SUB
Audio sound output 2 x 1 W
Audio signal input 3.5 mm stereo phone jack

OSD Languages and setting options

Languages Czech, Danish, Dutch, English, Finnish, French, German, Hungarian, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Brightness / Contrast Brightness, Contrast
Color Cold, Warm, Custom Color
Image adjust Clock, H-Position, V-Position, Expansion
Audio Mute, Volume
Information Resolution/mode, Signal input
Mode General, Movie, Picture, Game

Power consumption (typical, w/o sound)

Soft switch off 0.6 W
Power save mode 0.7 W
Operating with EPA settings 18 W
Operating maximum brightness 21 W

Electrical values

Rated voltage range 100 - 240 V
Rated frequency range 50 - 60 Hz
Protection class 1

Compliance

Europe CE
USA/Canada FCC Class B, cUL
Australia/New Zealand C-Tick
Russia GOST
Saudi Arabia SASO

Compliance

Global	ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I), IT-Eco-Declaration, RoHS, WEEE
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Quality and Reliability

MTBF (demonstrated)	70000 h
---------------------	---------

Dimensions / Weight / Environmental

Dimension without stand (W x D x H)	472.8 x 56.4 x 297.4 mm
Dimension with stand (W x D x H)	472.8 x 214.9 x 377 mm
Weight (packed)	5.4 kg
Weight (unpacked)	4.1 kg
Weight (Monitor only)	
Operating ambient temperature	5 - 35°C

Miscellaneous

VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock

Package content

Data cable 1.8m, D-SUB (15-pin), Audio cable 1.8m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8m, User manual, Warranty booklet, Quickstart flyer

Order information

SAP order name	L20T-1 ECO
Order Code	S26361-K1352-V160
EAN-Nr.	4049699217029



Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:

<http://ts.fujitsu.com/aboutus>

Take back and Recycling information:

<http://ts.fujitsu.com/recycling>

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions October 2009

Published by
Fujitsu Technology Solutions
<http://ts.fujitsu.com>